

3M™ MCS™ Warranty for printers manufactured by HP

Warranty is stated in years for geographical zones 1/2/3 (For more details refer to the last page of this document)			Expected performance life (durability), unprinted, outdoor	HP			HP			HP			HP			HP				
Only graphics manufacturers having a current Certificate of 3M™ MCS™ Warranty are eligible to extend this Warranty to their customers.				Latex 360/365/370/375 Latex 560/570			L26100, 26500, 28500 Latex 210, 260, 280			Latex 1500 Latex 3000/3100/3500			Scitex LX600, 800 LX820, 850; Latex 820, 850; Designjet L65500			Scitex TJ 8300 Scitex TJ 8350				
Release : October 2016 Supersedes : June 2016			Review the notes below the table and on the last page of this document, please.			HP831 / HP871 Latex Inks, a 3M™ MCS™ warranty component			HP792 Latex Inks, a 3M™ MCS™ warranty component			HP881 / HP891 Latex Inks, a 3M™ MCS™ warranty component			HP 3M LX600/LX610 Latex Specialty Inks			3M™ Piezo Inkjet Ink Series 4800		
Area of application:				FL	SI	IN	FL	SI	IN	FL	SI	IN	FL	SI	IN	FL	SI	IN		
Premium Films																				
LX480Cv3 SV480Cv3	A B D F K	Unprotected	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3/2/1	8		
		8548G, 8549L	10	7/6/4	5/4/2	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	8/7/5	5/4/2	8		
		8580, 8580M	7	-	-	-	7/6/4	5/4/2	8	-	-	-	7/6/4	5/4/2	8	8/7/5	5/4/2	8		
		1920DR	7	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	4/3/2	5/4/2	5		
		9740i UV	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		SG8991	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5/3/1	4/2/0.5	8	
		SG8993	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5/4/3	4/3/2	8	
		SG8995-124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
IJ380-10 IJ380-20	A B	Unprotected	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8548G, 8549L	10	7/6/4	5/4/2	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	8/7/5	5/4/2	8		
		8580, 8580M	7	-	-	-	7/6/4	5/4/2	8	-	-	-	7/6/4	5/4/2	8	8/7/5	4/3/2	8		
		1920DR	7	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	4/3/2	4/3/2	5		
		9740i UV	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IJ180-10 IJ180Cv3-10	A B C K	Unprotected	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3/2/1	8		
		8518, 8520, 8915	9	7/6/4	5/4/2	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	8/7/5	5/4/3	8		
		8548G, 8549L	10	7/6/4	5/4/2	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	8/7/5	5/4/2	8		
		8580, 8580M	7	-	-	-	7/6/4	5/4/2	8	-	-	-	7/6/4	5/4/2	8	8/7/5	4/3/2	8		
		8900	4	4/2.5/1.5	-	4	4/2.5/1.5	-	4	4/2.5/1.5	-	4	4/2.5/1.5	-	4	4/2.5/1.5	-	4		
		1920DR	7	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	4/3/2	4/3/2	5		
		9740i UV	8	-	-	-	-	-	-	-	-	-	-	-	-	6/5/4	5/4/3	8		
		SG8991	5	-	-	-	-	-	-	-	-	-	-	-	-	5/3/1	4/2/0.5	8		
		SG8993	5	-	-	-	-	-	-	-	-	-	-	-	-	5/4/3	4/3/2	8		
		SG8995-124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
IJ160-10 IJ160C-10	A	Unprotected	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3/2/1	5		
		8518, 8520, 8915	8	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5		
		1920DR	7	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	-	3/2/1	5		
		9740i UV	8	-	-	-	-	-	-	-	-	-	-	-	-	5/4/3	4/3/2	5		
		SG8991	5	-	-	-	-	-	-	-	-	-	-	-	-	5/3/1	4/2/0.5	5		
		SG8993	5	-	-	-	-	-	-	-	-	-	-	-	-	5/4/3	4/3/2	5		
Important note: 3M™ MCS™ warranty for this product does not apply to UK & Ireland.	A C	Unprotected	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3/2/1	5		
		8518, 8520, 8915	8	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5		
		8548G, 8549L	8	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5		
		8580, 8580M	7	-	-	-	5/4/3	4/3/2	5	-	-	-	5/4/3	4/3/2	5	5/4/3	4/3/2	5		
		8900	4	4/2.5/1.5	-	4	4/2.5/1.5	-	4	4/2.5/1.5	-	4	4/2.5/1.5	-	4	4/2.5/1.5	-	4		
		1920DR	7	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5		
		9740i UV	8	-	-	-	-	-	-	-	-	-	-	-	-	5/4/3	4/3/2	5		
		SG8991	5	-	-	-	-	-	-	-	-	-	-	-	-	5/3/1	4/2/0.5	5		
		SG8993	5	-	-	-	-	-	-	-	-	-	-	-	-	5/4/3	4/3/2	5		
		SG8995-124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
		IJ70-10 IJ70-114	A C	Unprotected	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3/2/1	5
70-114, 8518, 8520, 8915	6			5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	6/3/2	3/3/2	5		
8548G, 8549L	6			5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5		
8580, 8580M	6			-	-	-	5/4/3	4/3/2	5	-	-	-	5/4/3	4/3/2	5	6/3/2	3/3/2	5		
1920DR	7			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
9740i UV	8			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
SG8991	5			-	-	-	-	-	-	-	-	-	-	-	-	5/3/1	4/2/0.5	5		

A = Application to non-vertical surfaces = 50% of warranty given for vertical applications

B = 8548G, 8549L: Application to horizontal surfaces = 25% of warranty given for vertical applications

C = Use of overlaminates 8580 or 8580M does not bypass general limitations of the base film with deep contour applications

F = Use LX480Cv3 with Latex Inkjet Inks. Use SV480Cv3 with Solvent Inkjet Inks. Both versions can be used with UV Inkjet Inks.

D = LX480Cv3 or SX480Cv3 needs at deep recesses tempering of the stretched area at temperatures around 110°C

K = This product can be used for applications on watercrafts. See additional table at the end of this document, please

3M™ MCS™ Warranty for printers manufactured by HP

Warranty is stated in years for geographical zones 1/2/3 (For more details refer to the last page of this document)		Expected performance life (durability), unprinted, outdoor	HP			HP			HP			HP			HP		
Only graphics manufacturers having a current Certificate of 3M™ MCS™ Warranty are eligible to extend this Warranty to their customers.			Latex 360/365/370/375 Latex 560/570			L26100, 26500, 28500 Latex 210, 260, 280			Latex 1500 Latex 3000/3100/3500			Scitex LX600, 800 LX820, 850; Latex 820, 850; Designjet L65500			Scitex TJ 8300 Scitex TJ 8350		
Release : October 2016 Supersedes : June 2016			HP831 / HP871 Latex Inks, a 3M™ MCS™ warranty component			HP792 Latex Inks, a 3M™ MCS™ warranty component			HP881 / HP891 Latex Inks, a 3M™ MCS™ warranty component			HP 3M LX600/LX610 Latex Specialty Inks			3M™ Piezo Inkjet Ink Series 4800		
Review the notes below the table and on the last page of this document, please.																	
Area of application:			FL	SI	IN	FL	SI	IN	FL	SI	IN	FL	SI	IN	FL	SI	IN
IJ70-10		SG8993	5	-	-	-	-	-	-	-	-	-	-	-	5/4/3	4/3/2	5
IJ70-114		SG8995-124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
Intermediate Films																	
48-20, 48-20R	A	Unprotected	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48C-20, 48C-20R		8048G, 8050M	5	4/3.5/2.5	3/3/2	5	4/3.5/2.5	3/3/2	5	4/3.5/2.5	3/3/2	5	4/3.5/2.5	3/3/2	5	4/3.5/2.5	3/3/2
		SG8993	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5
		SG8995-124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
IJ40, IJ40C, 40C		Unprotected	7	-	-	-	-	-	-	-	-	-	-	-	-	-	3/2/1
white gloss & matte	A	8038G, 8040M	7	4/3.5/2.5	3/3/2	5	4/3.5/2.5	3/3/2	5	4/3.5/2.5	3/3/2	5	4/3.5/2.5	3/3/2	5	4/3.5/2.5	3/2/1
IJ40		Unprotected	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5
transparent gloss & matte		8038G, 8040M	5	3/3/2	3/3/2	5	3/3/2	3/3/2	5	3/3/2	3/3/2	5	3/3/2	3/2.5/1.5	5	3/2/1	5
IJ37-10		Unprotected	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		8018G, 8020M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Promotional Films																	
Series 25		Unprotected	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		8008G, 8010M	3	1.5/1.25/1	1.5/1.25/1	3	1.5/1.25/1	1.5/1.25/1	3	1.5/1.25/1	1.5/1.25/1	3	1.5/1.25/1	1.5/1.25/1	3	1.5/1.25/1	1.5/1.25/1
Series 20		Unprotected	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		8008G, 8010M	2	1/0.75/0.5	1/0.75/0.5	2	1/0.75/0.5	1/0.75/0.5	2	1/0.75/0.5	1/0.75/0.5	2	1/0.75/0.5	1/0.75/0.5	2	1/0.75/0.5	1/0.75/0.5
Special Applications																	
SC8173	E	Unprotected	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1/1/1
SC8173 for UV		8914i	1	1/1/1	1/1/1	1	1/1/1	1/1/1	1	1/1/1	1/1/1	1	1/1/1	1/1/1	1	1/1/1	1/1/1
SC8176 for UV	E I	Unprotected	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
IJ162-10, IJ40-114	I	3645	-	-	-	1	-	-	1	-	-	1	-	-	1	-	1
IJ25-10R	I	3649	-	-	-	0,25	-	-	0,25	-	-	0,25	-	-	0,25	-	0,25
IJ3630-20		Unprotected	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3/2/1
IJ3630LED-20		3619, 3620, 3658G, 3660M	7	-	5/4/3	7	-	6/5/4	8	-	5/4/3	7	-	6/5/4	8	-	7/6/5
		8518, 8520, 8915	8	-	4/3/2	6	-	5/4/2	6	-	4/3/2	6	-	5/4/2	6	-	5/4/2
		1920DR	7	-	3/2/1	5	-	3/2/1	5	-	3/2/1	5	-	3/2/1	5	-	4/3/2
		9740i UV	8	-	-	-	-	-	-	-	-	-	-	-	-	-	5/4/3
IJ3730-50		Unprotected	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3/2/1
IJ3730-60		3619, 3620, 3658G, 3660M	7	-	5/4/3	7	-	6/5/4	8	-	5/4/3	7	-	6/5/4	8	-	7/6/5
		8518, 8520, 8915	8	-	4/3/2	6	-	5/4/2	6	-	4/3/2	6	-	5/4/2	6	-	5/4/2
		1920DR	7	-	3/2/1	5	-	3/2/1	5	-	3/2/1	5	-	3/2/1	5	-	4/3/2
		9740i UV	8	-	-	-	-	-	-	-	-	-	-	-	-	-	5/4/3
IJ680-10 CR		Unprotected	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3/2/1
IJ680-10 CR E	A	8518	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	7/6/4	5/4/2	8	8/7/5	4/3/2
		1920DR	7	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	3/2/1	3/2/1	5	4/3/2	4/3/2
		9740i UV	8	-	-	-	-	-	-	-	-	-	-	-	-	6/5/4	5/4/3
Panagraphics III		Unprotected	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		3619, 3620, 3658G, 3660M	8	-	5/4/2	7	-	6/5/4	8	-	5/4/2	7	-	6/5/4	8	-	-
		8518, 8520, 8915	8	-	4/3/2	6	-	5/4/2	6	-	4/3/2	6	-	5/4/2	6	-	-
Envision FS-1		Unprotected	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		3619, 3620, 3658G, 3660M	8	-	5/4/3	7	-	6/5/4	8	-	5/4/3	7	-	6/5/4	8	-	-
		8518, 8520, 8915	8	-	4/3/2	6	-	5/4/2	6	-	4/3/2	6	-	5/4/2	6	-	-
SC8150		Unprotected	7	-	-	-	-	-	-	-	-	-	-	-	-	-	3/2/1
		8150	7	5/4/3	4/3/2	7	5/4/3	4/3/2	7	5/4/3	4/3/2	7	5/4/3	4/3/2	7	5/4/3	4/3/2
IJ3650-10		8518, 8520, 8915	6	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	5/4/3	4/3/2	5	6/3/2	3/3/2
IJ3650-114		SG8991	5	-	-	-	-	-	-	-	-	-	-	-	-	5/3/1	4/2/0.5
		SG8993	5	-	-	-	-	-	-	-	-	-	-	-	5/4/3	4/3/2	5

A = Application to non-vertical surfaces = 50% of warranty given for vertical applications

E = Available in two versions! Use "for UV" version with UV Inkjet Inks. Use SC8173 with Solvent and Latex Inkjet Inks.

I = Interior use only

3M™ MCS™ Warranty for Watercrafts

Warranty is stated in years for geographical zones 1/2/3 (For more details refer to the last page of this document) Only graphics manufacturers having a current Certificate of 3M™ MCS™ Warranty are eligible to extend this Warranty to their customers.	Watercrafts
Release : October 2016 Supersedes : June 2016	Review the notes below the table and on the last page of this document, please.

Graphic Films	J	Substrate	Exposure	Protection		
LX480Cv3 SV480Cv3	J	White	Various	Vertical	8548G, 8549L	3/2/1
				Non-vertical	8548G, 8549L	1.5/1/0.5
				Horizontal	8548G, 8549L	0.75/0.5/0.25
IJ180-10 IJ180Cv3-10	J	White	Various	Vertical	8518, 8520	3/2/1
				Non-vertical	8518, 8521	1.5/1/0.5
				Horizontal	8518, 8522	0.75/0.5/0.25

J = Using a printer qualified to 3M™ MCS™ Warranty or Performance Guarantee

Important Notes:

- Note the specific requirements for applications on watercrafts given in Instruction Bulletin 5.42.
- All cut seams and edges must be edge sealed or edge taped.
- All graphics must be applied minimum 1.2 cm above the static water line.

Further reading:

[Link to special instructions for applications on watercrafts.](#)

3M™ MCS™ Warranty and Performance Guarantee

Overview of all released printers

Important Notes:

- Finished graphic warranty periods are given in years for vertical graphic exposure and a maximal height of 1500 m above sea level.
- Statements based on the recommended types of graphics and end uses of the product. See the product bulletin for the specific 3M film for limitations of end use.
- Graphics used on the exterior of any type of vehicle or subjected to abrasion or chemical require a 3M Graphic Protection (overlaminated or clear).
- Product offering might vary from country to country. Local availability of selected graphics constructions should be clarified with your local 3M subsidiary.

Geographical Zones:

Zone 1:

Austria, Belarus, Belgium, Bosnia, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greenland, Hungary, Iceland, Ireland, Italy (North of Rome), Kazakhstan, Latvia, Liechtenstein, Lithuania, Luxembourg, Moldova, Montenegro, Netherlands, Norway, Poland, Romania, Russia, Serbia, Slovakia, Slovenia, Sweden, Switzerland, UK, Ukraine

Zone 2:

Albania, Armenia, Azerbaijan, Bulgaria, Corsica, Crete, Georgia, Greece, Italy (South of Rome), Kyrgyzstan, Macedonia, Malta, Portugal, Sardinia, South Africa, Spain, Tajikistan, Turkey, Turkmenistan, Uzbekistan

Zone 3:

Afghanistan, Algeria, Angola, Bahrain, Botswana, Burkina, Burundi, Benin, CAR, Chad, Congo, Cyprus, Cameroon, Djibouti, Dubai, Egypt, Eritrea, Gabon, Ghana, Guinea, Israel, Kuwait, Iran, Ivory Coast, Iraq, Jordan, Lebanon, Liberia, Libya, Madagascar, Mali, Mauritania, Morocco, Namibia, Niger, Nigeria, Oman, Pakistan, Qatar, Rwanda, Saudi Arabia, Syria, Senegal, Sierra Leone, Somali Republic, Sudan, Togo, Tunisia, UAE, Uganda, Yemen, Zaire, Zambia, Zimbabwe

FL = Fleet: Application to any kind of vehicle like buses, vans, passenger vehicles, trucks, trailers.

SI = Sign: Application with a static geographic direction without exposure to any adjacent reflecting surface.

IN = Interior: Application inside a building without direct exposure to the elements.

Types of exposure:



Vertical: The face of the graphic is $\pm 10^\circ$ from vertical. Unless otherwise noticed is this type of exposure the base for the mentioned warranty periods.



Non-vertical: The face of the graphic is greater than 10° from vertical and greater than 5° from horizontal.



Horizontal: The face of the graphic is $\pm 5^\circ$ from horizontal.

Further reading:

[Link to additional information about 3M Graphic Warranties.](#)

[Visit the web site of your local subsidiary for getting more:](#)

- additional product and instruction bulletins.
- a complete product overview about materials 3M is offering.

All questions of warranty and liability relating to this product are governed by the terms and conditions of the sale, subject, where applicable, to the prevailing law.

3M, Controltac, Comply, Envision, MCS, Panagraphics, Scotchcal, Scotchlite and Scotchgard are trademarks of 3M Company. All other trademarks are the property of their respective owners. The use of trademark signs and brand names in this bulletin is based upon US standards. These standards may vary from country to country outside the USA.